Serial No.: 10/511,277

Docket No. 100341-00054

AMENDMENTS TO THE CLAIMS

Listing of the claims:

Following is a listing of all claims in the present application, which listing supersedes all previously presented claims:

1. (Currently Amended): A tennis game system including a game machine and a

racket-shaped input device imitating a form of a tennis racket, under which a player

plays a tennis game using said racket-shaped input device, wherein

said racket-shaped input device comprises an acceleration sensor for generating

an acceleration correlation signal when said player actually swings said racket-shaped

input device in a real space, and a transmission circuit means for transmitting said

generated said acceleration correlation signal to said game machine; and

said game machine displays a ball on a monitor screen through execution of a

tennis game program in which a CPU player controlled by a computer program plays a

match against said player, and further comprises:

a first calculation circuit means for calculating a predicted return position of said

ball returned by said CPU player;

a judgment circuit means for judging whether a current position of said player is

in a ball strikable range by comparing said predicted return position and the current

position of said player;

a ball striking position movement circuit means for automatically moving a ball

striking position of said player to be approximated to said predicted return position in

response to a negative judgment by said judgment circuit means;

RPP/166288.1 -2-

Serial No.: 10/511,277

Docket No. 100341-00054

a swing detection <u>circuit</u> means for detecting whether said racket-shaped input

device has been actually swung or not; and

a second calculation circuit means for calculating an initial speed vector of said

ball after received when said swing detection circuit means has detected a swing in said

ball strikable range, from a position of said ball and acceleration of said racket-shaped

input device according to said acceleration correlation signal.

2-5. (Canceled).

6. (Currently Amended): A tennis game system including a game machine and

two racket-shaped input devices imitating the form of a tennis racket, under which two

players play a tennis game using said racket-shaped input devices, wherein

said racket-shaped input devices each comprise an acceleration sensor for

generating an acceleration correlation signal when said player actually swings said

racket-shaped input device in a real space, and a transmission circuit means for

transmitting said generated said acceleration correlation signal to said game machine;

said game machine runs a tennis game program in which said two players play a

match and displays said ball on a monitor screen, and further comprises:

a first calculation <u>circuit</u> means for calculating a predicted return position of a ball

returned by an opposite player;

a judgment circuit means for judging whether a ball striking player is in a ball

strikable range by comparing said predicted return position and a current position of

said ball striking player;

RPP/166288.1 -3-

Serial No.: 10/511,277

Docket No. 100341-00054

a ball striking position movement <u>circuit</u> means for <u>automatically</u> moving a ball striking position for said ball striking player <u>to be approximated to said predicted return</u> position in response to a negative judgment by said judgment circuit means:

a swing detection circuit means for detecting whether said racket-shaped input

device has been actually swung or not; and

a second calculation <u>circuit</u> means for calculating an initial speed vector of said ball after received when said swing detection <u>circuit</u> means has detected a swing in said ball striking-enabled range, from a position of said ball and acceleration of said racket-shaped input device according to said acceleration correlation signal.

7. (Currently Amended): A tennis game system according to claim 1 or 6, wherein

said racket-shaped input device further includes an operating switch;

said transmission <u>circuit</u> means transmits an operation signal from said operating switch together with said acceleration correlation signal to said game machine; and

said game machine further comprises a position movement <u>circuit</u> means for moving said ball striking position on said monitor screen from forward position to backward position or from backward position to forward position, in response to said operation signal transmitted from said racket-shaped input device.

8. (Currently Amended): A tennis game system according to claim 1 or 6, wherein said transmission <u>circuit means</u> of said racket-shaped input device includes an

RPP/166288.1 -4-

Serial No.: 10/511,277 Docket No. 100341-00054

infrared light-emitting element for transmitting said acceleration correlation signal and said operation signal by means of infrared light.

9. (Currently Amended): A tennis game system according to claim 8, wherein said transmission <u>circuit</u> means digital-modulates and transmits said acceleration correlation signal and said operation signal to said game machine; and

said game machine digital-demodulates said acceleration correlation signal and said operation signal transmitted by said transmission <u>circuit</u> means.

RPP/166288.1 -5-